

Asgård I

Nordic Eco-label wood stove in a simple design with effective combustion. The stove has a timeless design and therefore fits in with the modern, classic type of home as well as in the large holiday home.

TECHNICAL DATA

- Convection stove
- Air-wash system
- Nominal power: 5 kW
- Operationel area: 2-7 kW
- Distance to combustible material behind: 20 cm, at side: 30 cm
- Colour: Black
- Measurements (HxBxD): 92 x 53,3 x 36 cm
- Flue outlet: Ø I 50 mm top
- Heats: 30-120 m²
- Weight: 75 kg
- Width of wood chamber: 34 cm
- Max. wood lenght: 33 cm

• Fuel: Wood and wood briquettes

- Ecolabel
- Sintef
- CE
- EN I 3240





A small wood stove, where the experience of the living fire is encapsulated in a simple and functional design. The capacity of the stove makes it perfect for smaller rooms and holiday homes.

TECHNICAL DATA

- Convection stove
- Air-wash system
- Nominal power: 5 kW
- Operationel area: 2-7 kW
- Flue outlet: Ø I 50 mm top
- Heats: 30-120 m²
- Distance to combustible material behind: 20 cm, at side: 30 cm.
- Colour: Black
- Measurements (HxBxD): 83,2 x 53 x 35,5 cm
- Weight: 58 kg
- Width of wood chamber: 33 cm
- Max. wood lenght: 32 cm

• Fuel: Wood and wood briquettes

- Ecolabel
- Sintef
- CE
- EN13240





A functional convection wood stove designed with an arched top and rounded edges. The size of the stove and its capacity makes it very suitable for large rooms or holiday homes.

TECHNICAL DATA

- Convection stove
- Air-wash system
- Nominal power: 6 kW
- Operationel area: 3-9 kW
- Flue outlet: Ø I 50 mm top
- Heats: 30-140 m²
- Distance to combustible material behind: 25 cm, at side: 30 cm
- Colour: Black
- Measurements (HxBxD): $99.2 \times 56 \times 37$ cm
- Weight: 75 kg
- Width of wood chamber: 36 cm
- Max. wood lenght: 35 cm

• Fuel: Wood and wood briquettes

- Ecolabel
- Sintef
- CE
- EN13240





The wood stove is made in a round arched style with a decorative shelf above the fire chamber. The design of this stove makes it a classic among wood stoves and its size allows it to house very large logs.

TECHNICAL DATA

- Convection stove
- Air-wash system
- Nominal power: 6 kW
- Operationel area: 3-9 kW
- Flue outlet: Ø I 50 mm top
- Heats: 30-140 m²
- Distance to combustible material behind: 25 cm, at side: 30 cm
- Colour: Black
- Measurements (HxBxD): 98 x 48 x 37,7 cm
- Weight: 80 kg
- Width of wood chamber: 36 cm
- Max. wood lenght: 35 cm

• Fuel: Wood and wood briquettes

- Ecolabel
- Sintef
- CE
- EN I 3240





The Asgård 6 has a large, regular fire chamber and is equipped with an airwash system to prevent the glass from becoming sooty. The stove has a timeless design and therefore fits in with the modern, classic type of home as well as in the large holiday home.

TECHNICAL DATA

- Convection stove
- Air-wash system
- Nominal power: 6 kW
- Operationel area: 3-9 kW
- Flue outlet: Ø I 50 mm top
- Heats: 30-140 m²
- Distance to combustible material behind: 25 cm, at side: 30 cm
- Colour: Black
- Measurements (HxBxD): $90 \times 56 \times 37,5$ cm
- Weight: 75 kg
- Width of wood chamber: 36 cm
- Max. wood lenght: 35 cm

• Fuel: Wood and wood briquettes

- Ecolabel
- Sintef
- CE
- EN13240





A cubic wood stove in a simple design with a baking shelf and wood storage space. The stove appeals to most interior designs with its simple lines and timeless appearance.

TECHNICAL DATA

- Convection stove
- Air-wash system
- Nominal power: 5 kW
- Operationel area: 2-7 kW
- Flue outlet: Ø I 50 mm top
- Heats: 30-120 m²
- Distance to combustible material behind: 20 cm, at side: 30 cm
- Colour: Black
- Measurements (HxBxD): $90,1 \times 51,7 \times 35,5$ cm
- Weight: 75 kg
- Width of wood chamber: 33 cm
- Max. wood lenght: 32 cm

• Fuel: Wood and wood briquettes

- Ecolabel
- Sintef
- CE
- EN13240





Asgård 7SK

An effective and functional convection wood stove covered with decorative soapstone, which gives a beautiful contrast to the black surfaces. Soapstone has a special ability to absorb and maintain heat.

TECHNICAL DATA

- Convection stove
- Air-wash system
- Nominal power: 5 kW
- Operationel area: 2-7 kW
- Flue outlet: Ø I 50 mm top
- Heats: 30-120 m²
- Distance to combustible material behind: 20 cm, at side: 30 cm
- Colour: Black
- Measurements (HxBxD): $90 \times 51,3 \times 35,5 \text{ cm}$
- Weight: I 32 kg
- Width of wood chamber: 33 cm
- Max. wood lenght: 32 cm

• Fuel: Wood and wood briquettes

- Ecolabel
- Sintef
- CE
- EN13240





The Asgård 8 is the first stove in the Asgård series that beautifully combines soft rounded sides with a flat front. At the same time, the modern design of an elegant stainless steel handle is emphasised. This model has both top and back outlets which is unique for the Asgård series.

TECHNICAL DATA

- Convection stove
- Air-wash system
- Nominal power: 5 kW
- Operationel area: 2-7 kW
- Flue outlet: Ø I 50 mm top/back
- Heats: 30-120 m²
- Distance to combustible material behind: 20 cm, at side: 30 cm
- Colour: Black

- Measurements (HxBxD):
 - $90 \times 50,3 \times 36,8 \text{ cm}$
- Weight: 84 kg
- Width of wood chamber: 33 cm
- Max. wood lenght: 32 cm

• Fuel: Wood and wood briquettes

- Ecolabel
- Sintef
- CE
- EN I 3240

